


BOLARDO



			Perforación	
Diametro	Altura	Varilla	Ø	Profundidad
70	266	20	48	150
100	430	30	68	150
100	530	30	68	150
120	430	30	68	150
120	530	30	68	150
120	800	30	68	150
180	430	30	68	150



BOLARDO de señalización




			Perforación	
Diametro	Altura	Varilla	Ø	Profundidad
110	1.000	30	68	150
110	1.500	30	68	150
110	2.000	30	68	150
110	2.500	30	68	150

			Perforación	
Diametro	Altura	Varilla	Ø	Profundidad
170	1.200	30	68	150
170	1.500	30	68	150
170	2.000	30	68	150
170	2.500	30	68	150



GUARDARRAIL SIMPLE



					Perforación	
Ø	Long.	Bases	Altura	Varilla	Ø	Profundidad
70	500	2	125	16	38	150
70	1000	2	125	16	38	150
70	1500	3	125	16	38	150
70	2000	3	125	16	38	150
100	500	2	155	20	48	150
100	1000	2	155	20	48	150
100	1500	3	155	20	48	150
100	2000	3	155	20	48	150
100	2500	4	155	20	48	150
120	500	2	175	20	48	150
120	1000	2	175	20	48	150
120	1500	3	175	20	48	150
120	2000	3	175	20	48	150
120	2500	4	175	20	48	150



GUARDARRAIL DOBLE



Diámetro						Perforación	
Inf.	Sup.	Long.	Bases	Altura	Varilla	Ø	Profundidad
70	70	500	2	230	20	48	150
70	70	1000	2	230	20	48	150
70	70	1500	3	230	20	48	150
70	70	2000	3	230	20	48	150
100	100	500	2	300	20	48	150
100	100	1000	2	300	20	48	150
100	100	1500	3	300	20	48	150
100	100	2000	3	300	20	48	150
120	120	500	2	340	20	48	150
120	120	1000	2	340	20	48	150
120	120	1500	3	340	20	48	150
120	120	2000	3	340	20	48	150



BARANDILLA PCK 100



Poste	Trav.	Altura	Long.	Varilla	Perforación	
					Ø	Profundidad
70	40/40/40	1.100	1.500	14	36	150




BARANDILLA PCK 200



Diámetro						Perforación	
Inf.	Sup.	Long.	Bases	Altura	Varilla	Ø	Profundidad
120	70	500	2	500	20	48	150
120	70	1000	2	500	20	48	150
120	70	1500	3	500	20	48	150
120	70	2000	3	500	20	48	150
120	70	500	2	800	20	48	150
120	70	1000	2	800	20	48	150
120	70	1500	3	800	20	48	150
120	70	2000	3	800	20	48	150
120	70	500	2	1000	20	48	150
120	70	1000	2	1000	20	48	150
120	70	1500	3	1000	20	48	150
120	70	2000	3	1000	20	48	150




BARANDILLA PCK 300



Diámetro						Perforación	
Inf.	Sup.	Long.	Bases	Altura	Varilla	Ø	Profundidad
120	40/40/40	1.000	2	1.100	20	48	150
120	40/40/40	2.000	3	1.100	20	48	150



GUARDARRAIL PTH



Diámetro	Longitud	Bases	Altura	Varilla
110 mm	500 mm	2	175 mm	14 mm
110 mm	1.000 mm	2	175 mm	14 mm
110 mm	1.500 mm	3	175 mm	14 mm
110 mm	2.000 mm	3	175 mm	14 mm
110 mm	2.500 mm	4	175 mm	14 mm
170 mm	500 mm	2	220 mm	16 mm
170 mm	1.000 mm	2	220 mm	16 mm
170 mm	1.500 mm	3	220 mm	16 mm
170 mm	2.000 mm	3	220 mm	16 mm

